



## ASSEMBLY AND CARE INSTRUCTIONS

### PERFORMANCE SERIES VAULT TABLE II 5002

VERSION: 8920126 (Revised 10/17)



### **SALES AND SERVICE** **[spiethamerica.com](http://spiethamerica.com)**

**Canada and International**  
135 Forestview Road, Oro-Medonte  
Ontario, Canada L3V 0R4

Toll-Free: (800) 563-6479  
Telephone: (705) 325-2274  
Fax: (705) 325-1485

[service.ca@spiethamerica.com](mailto:service.ca@spiethamerica.com)

**USA**  
3327 Ranger Road  
Lansing, MI 48906

Toll-Free: (800) 331-8068  
Telephone: (517) 999-8230  
Fax: (517) 999-8245

[service.usa@spiethamerica.com](mailto:service.usa@spiethamerica.com)

Thank you for purchasing our SPIETH America **5002 Performance Series Vault Table II** from our line of **Gymnastics Equipment**. We appreciate your business and value you as a customer.

Our 5002 – Performance Series Vault Table II is the most functional vaulting table available! With quick and easy adjustment you can adjust the height of the vault table from 100cm (39-3/8”) to 140cm (55-1/8”). Our new gas shock makes height adjustment quick and secure. Our new surface provides a fast, non-slip response. The rebound has been improved and the surface is more forgiving for repetitive training. The vault’s new base design has easy leveling foot pads for improved stability. Our 5002 Performance Series Vault Table II is designed and built to USAG, NCAA, NFHS and AAU specifications. It is also manufactured to FIG dimensional specifications.

Our **5002 Performance Series Vault Table II** is manufactured of the finest materials and has been thoroughly inspected before leaving our plant. We are sure you will be pleased with its quality, durability and performance.

Please carefully read the following instructions before assembling and using your new equipment, as they pertain to the particular equipment you have purchased.



**The exclamation mark symbol when seen in this manual is used to indicate warnings or items that require special attention during the use or assembly of the apparatus.**



**Only qualified persons should undertake assembly, installation and adjustment of this equipment. At no time should children or other unqualified persons undertake the assembly, installation or adjustment of this equipment.**

For assembly, set-up and adjustment instructions, please read and follow all instructions in the first section of this booklet as they apply to your particular piece or pieces of equipment.

For information on Replacement Parts, please see Section II of this booklet.

Be sure to read and follow all Safety Instructions in Section III of this booklet before attempting to use the apparatus!

## 1. Adjustment of the Vault Table

Our 5002 Performance Series Vault Table II comes already assembled from our factory. Please read the following instructions for height adjustment of your Vault Table.

 **The Vault Table must never be used if the Column Pad is not installed. The Column Pad must be fastened closed with the Velcro flap as shown in (Fig. 1)**

1. Loosen the **Spin Lock** by turning it counterclockwise.

 **Never Attempt to adjust the table without unlocking the Spin Lock!**



Figure 1

2. With your right hand, grasp the **Pull Handle** and hold before releasing the snap lock. **The table top will raise on its own thanks to the gas shock.**
3. Using your left hand, grasp the **Snap Lock** and pull outward (See Fig. 2).
4. Adjust the Vault Table up or down until the desired height can be seen at the top of the black outer column and let go of the **Snap Lock**. Make sure **the Snap Lock locks into a hole before releasing the pull handle. To lower the table top, you will have to pull down.**








Figure 2

5. Tighten the **Spin Lock** securely by turning it clockwise.

 **Never leave the table unlocked when in use! This can result in damage to the lifting device, locking mechanism and place the athlete at risk! The Spin Lock must always be fully tightened after adjusting the vaulting table and before using the apparatus!**

## 2. Replacement Parts

Description		Part Number
1 Each – Swivel Spin Lock	 A red cylindrical handle with a black metal base and a threaded end.	P228-170A
1 Each – Standard Snap Lock	 A black spherical cap with a silver metal base and a threaded end.	P-5001-001-075
1 Each – Adjustable Foot Pad	 A red circular pad with a black metal base and a threaded end.	P135-24A

### 3. SAFETY



Any activity involving motion or height creates the possibility of serious injury including permanent paralysis and even death, from landing or falling on the neck, head, or other parts of the body.

You assume a risk of serious injury in using this equipment. However, this risk can be reduced by strictly following these rules at all times.

1. Use this equipment **only** under the supervision of a trained and qualified instructor.
2. This equipment **must be used only when protected by proper matting as recommended by the Federation of International Gymnasts (F.I.G.)**. If in doubt concerning proper matting, **do not use this equipment**.
3. This equipment **must be used with proper spotting equipment and qualified spotters suitable to the activity or skill**. Always consult an instructor.
4. **Know your own limitations and the limitations of this equipment**. Follow progressive learning techniques and always consult an instructor.
5. **Always inspect this equipment for proper stability before each use**.
6. **Always inspect this equipment for loose fittings and parts. Replace any worn, defective or missing parts**.
7. **Always inspect this equipment for improper or unsafe installation. If in doubt, do not use this equipment**.